




## ✓ Brushes with twist-knotted wire for the use on angle-grinders

Ideal for aggressive applications under most adverse conditions, e.g. removing wall paint from very rough-surfaced natural stone. They are characterised by a high removal rate and extreme stability.




**RBZ**



Wheel brush with twist-knotted wire, aggressive version for extreme applications.

PRODUCT	Ø x BORE SIZE MM	SPEED R.P.M.	SHAPE	CONTENT PIECES	ITEM CODE	BAR CODE 4081600
Steel 0,5	115 x 22,23	12500	wheel	1	6422100	642179
Steel 0,5	125 x 22,23	12500	wheel	1	6422102	662115
Steel 0,5	178 x 22,23	12500	wheel	1	6422110	642186


**TBZ**



Cup brush with twist-knotted wire. Width of 80mm and 100mm with a removable support ring.

PRODUCT	Ø x BORE SIZE MM	SPEED R.P.M.	SHAPE	CONTENT PIECES	ITEM CODE	BAR CODE 4081600
Steel 0,35	65 x M14	12500	cup	1	6420100	642056
Steel INOX 0,35	65 x M14	12500	cup	1	6420200	642094
Steel 0,5	65 x M14	12500	cup	1	6420300	642001
Steel 0,5	80 x M14	8500	cup	1	6420310	642018
Steel 0,5	100 x M14	8500	cup	1	6420320	642025

**KBZ**



Tapered brush with twist-knotted wire. Ideal for working on areas that are difficult to get at.

PRODUCT	Ø x BORE SIZE MM	SPEED R.P.M.	SHAPE	CONTENT PIECES	ITEM CODE	BAR CODE 4081600
Steel 0,5	100 x M14	12500	tapered	1	6421320	642087



## Brushes with crimped wire for the use on bench grinders

### RBW



Wheel brush with crimped wire for heavy brushing operations. Long service life. Supplied with reducing bushes.

PRODUCT	Ø x BORE MM	SPEED R.P.M.	SHAPE	CONTENT PIECES	ITEM CODE	BAR CODE 4081600
Steel 0,3	150 x 20	6600	wheel	1	6425020	642162

## Brushes with crimped wire for the use on angle-grinders

These brushes behave less aggressively and are therefore predestined for finer applications where care must be taken to prevent a removal rate too high, e.g. removal of rust from stair railings. They are characterised by a long service life and high stability.

### TBW



Cup brush with crimped wire. Less aggressive characteristics than the twist-knotted version. Width of 80mm and 100mm with a removable support ring.

PRODUCT	Ø x BORE MM	SPEED R.P.M.	SHAPE	CONTENT PIECES	ITEM CODE	BAR CODE 4081600
Steel 0,3	60 x M14	12500	Cup	1	6423000	642032
Steel 0,3	80 x M14	8500	Cup	1	6423010	642049
Steel 0,3	100 x M14	8500	Cup	1	6423020	642063

### KBW



Tapered brush with crimped wire. The shape of this brush makes it ideal for working on areas which are difficult to get at.

PRODUCT	Ø x BORE MM	SPEED R.P.M.	SHAPE	CONTENT PIECES	ITEM CODE	BAR CODE 4081600
Steel 0,3	100 x M14	12500	Tapered	1	6424000	642070

## 🔻 Brushes with twist-knotted wire for the use on drilling machines

Ideal for aggressive applications under most adverse conditions. They are characterised by a high removal rate, extreme stability and an excellent price / performance ratio.

### RBZ 6



Wheel brush with twist-knotted wire. The shape of this brush makes it ideal for extreme DIY-applications.

PRODUCT	Ø x BORE MM	SPEED R.P.M.	SHAPE	CONTENT PIECES	ITEM CODE	BAR CODE 4081600
Steel 0,5	75 x 6	15000	Wheel	10	6426030	642100

## 🔻 Brushes with crimped wire for the use on drilling machines

These brushes behave less aggressively and are therefore predestined for finer applications where care must be taken to prevent a removal rate too high, e.g. removal of rust from stair railings. They are characterised by a long service life and high stability with an outstanding price/performance ratio.

### TB 6



Reasonably priced cup brush for DIY.

PRODUCT	Ø x BORE MM	SPEED R.P.M.	SHAPE	CONTENT PIECES	ITEM CODE	BAR CODE 4081600
Steel 0,2	50 x 6	4500	Cup	10	6426500	662078
Steel 0,2	75 x 6	4500	Cup	10	6426501	662085
Steel 0,3	50 x 6	4500	Cup	10	6426520	642193
Steel 0,3	75 x 6	4500	Cup	10	6426521	642209

### PBW 6



Lend brush for cleaning operations in areas which are difficult to get at and also in interior areas.  
Useful length of the brush: 25 mm.

PRODUCT	Ø x BORE MM	SPEED R.P.M.	SHAPE	CONTENT PIECES	ITEM CODE	BAR CODE 4081600
Steel 0,3	17 x 6	18000	Lend	1	6426320	642131
Steel 0,3	25 x 6	18000	Lend	1	6426321	642148



## PB 6



Reasonably priced lend brush for DIY.

PRODUCT	Ø x BORE MM	SPEED R.P.M.	SHAPE	CONTENT PIECES	ITEM CODE	BAR CODE 4081600
Steel 0,3	17 x 6	18000	Lend	10	6426310	642650
Steel 0,3	25 x 6	18000	Lend	10	6426311	642667

## RBW 6



Wheel brush with crimped wire for the use in areas which are difficult to get at, such as interior areas and grooves.

PRODUCT	Ø x BORE MM	SPEED R.P.M.	SHAPE	CONTENT PIECES	ITEM CODE	BAR CODE 4081600
INOX 0,2	50 x 6	15000	Wheel	1	6426110	662108
Steel 0,3	50 x 6	15000	Wheel	1	6426120	642117
Steel 0,3	70 x 6	4500	Wheel	1	6426121	642124

## RB 6



Reasonably priced wheel brush for DIY.

PRODUCT	Ø x BORE MM	SPEED R.P.M.	SHAPE	CONTENT PIECES	ITEM CODE	BAR CODE 4081600
Steel 0,2	75 x 6	4500	Wheel	10	6426200	662054
Steel 0,2	100 x 6	4500	Wheel	10	6426201	662061
Steel 0,3	75 x 6	4500	Wheel	10	6426220	642216
Steel 0,3	100 x 6	4500	Wheel	10	6426221	642223

## Special brushes for the use on drilling machines

### RBS 6



Safety wheel brush, inspected by the German MOT. The wire is embedded in a plastic disc which leads into the fact that they can only break at predetermined breaking points. The exactly defined working area means a long service life and permits precious operations as the brush cannot fan out.

PRODUCT	Ø x BORE MM	SPEED R.P.M.	SHAPE	CONTENT PIECES	ITEM CODE	BAR CODE 4081600
Steel 0,3	65 x 6	15000	Wheel	10	6426420	662122

## Hand brushes

### HAND BRUSHES WITH FLAT OR CRIMPED WIRE



Brush-body made from high class beechwood with round edges and 10 mm hole for self hanging. General purpose for soft rust-removal and other cleaning applications. Brushes with stainless steel wire are non-magnetic.

depainting, derusting, cleaning



DESCRIPTION	ROW	TYPE	CONTENT PIECES	ITEM CODE	BAR CODE 4081600
Steel flat, 0,35	3-rowed	Steel	12	6422700	642605
Steel flat, 0,35	4-rowed	Steel	12	6422701	642612
Steel flat, 0,35	5-rowed	Steel	12	6422702	642629
Stainless crimped, 0,30	3-rowed	Stainless steel	12	6422703	642636
Stainless crimped, 0,30	4-rowed	Stainless steel	12	6422704	642643